



attività di abbattimento alberi

### ART.SP.1RJ1 CHAINSAW JACKET

Anti-cut jacket made of polyester / cotton fabric.

Live colors for better visibility. Korean collar, zip closure, 1 flap pocket. Adjustable sleeve bottom with press studs. Posterior ventilation. Elongated rear part. External water repellent fabric 65% polyester - 35% cotton ± 210 g / m2. 8-layer protection on arms, shoulders and chest.

NORM

EN 381-11 CL.1 20 m/s.

Sizes: from S to 4XL.

Packing: 1/5.



### SPECIFICA PER attività di abbattimento alberi

### ART.SP.1RI1 CHAINSAW JACKET HIGH VISIBILITY

Jacket 8 layers of protection for

arms, shoulders and chest. Front closure with full zip, straight collar, elongated back.

Sleeve adjustment with snap buttons.

2 internal pockets with zip closure. Back ventilation. Water repellent. Main fabric: 80% polyester - 20% cotton. 200 g/m².

Outer fabric: 65% water-repellent polyester - 35% cotton. 210 g/m2.

NORMS:

EN 381-11 CL.1 20 m/s. EN 20471 CL.3

Sizes: from S to 4XL.

Packing: 1/5.



### ART.SP.1RP1 CHAINSAW TROUSER

Chainsaw trouser made of robust polyester / cotton fabric.

Front closure with zip covered with flap and button, 2 welt pockets, 1 back pocket with zip closure, 1 meter pocket. Elasticated waist with belt loops and velcro loops for suspenders. Triple stitching at the points of greatest effort.

85g / m² polye-ster / cotton interior with 6-layer front protective insert.

External water repellent fabric 65% polyester - 35% cotton ± 210 g / m<sup>2</sup>

NORM:

EN 381-5 CL.1 20 m/s type A.

Sizes: from S to 4XL.

Packing: 1/5.



### ART.SP.1RQ3 CHAINSAW TROUSER HIGH VISIBILITY

Chainsaw trousers CLASS 3 (28 m/s) with high visibility.

Front closure with zip covered with flap and but-ton, 2 welt pockets, 1 back pocket with zip closure, 1 meter pocket. Elastic waist with belt loops and Velcro straps for braces. Triple stitching at the points of greatest effect.

Interior in 65% polyester - 35% cotton, 85 g /  $\rm m^2$  with 9-layer front protective insert.

Water repellent outer fabric 80% polyester - 20% cotton  $\pm 200$  g /  $m^2$ .

NORMS:

EN 381-5 Class 3 (28 m/s) type A EN 20471 Cl.2

Sizes: from XS to 4XL.

Packing: 1/5.



### ART.SP.1ST9 CHAINSAW HIGH VISIBILITY LEGGINGS

Zip (down to close) on the back of the legs. Loops for the belt.

Inside: polyester - cotton lining (65% polyester - 35% cotton 85 g /  $m^2$ ), 8 inlaid front protective layers.

Robust polyester / cotton outer fabric.
Easy to wear and easy to remove, greater

ventilation.
FABRIC: Water-repellent 67% polyester -

FABRIC: Water-repellent 67% polyester 33% ± 250g / m 2 cotton outer fabric.

NORMS:

EN20471 Cl. 2, EN 381-5/ Class 1 - 20 m / s type A,

EN 13688.

Available colour: orange, yellow Size: universal.

Packing: 1/5.

SPECIFICA PER attività di abbattimento alberi



# ART.SP.1RH1 ANTICUT BIB AND BRACE WITH DETACHABLE LINING

6-layer front protective insert. Bib with pocket and vertical zipper on the right side, wide back. Front flap with zipper, right side closure with zipper and button.

2 adjustable elastic straps with buckle closure, elasticated waist back, 1 pocket applied for measuring instruments and fastening key for candles, 2 internal pockets.

Triple needle seams on the back seam inside the leg. Water repellent.

Main fabric: 80% polyester - 20% cotton 200 g/m²

Outer fabric: 65% water-repellent polyester - 35% cotton 210 g/m2.

NORMS:

EN20471 Cl. 2, EN 381-5/ Class 1 - 20 m / s type A, EN 13688.

Sizes: from S to 4XL. Packing: 1/5.

## Forestry clothing







### ART.SP.1XT2 **CHAINSAW LEGGINGS**

Traditional chainsaw leggings. Design offers greater ventilation. Elastic belt closure and buckle.

Possibility to expand by 9 cm. the di-

Inside: Polyester - cotton coating (65% polye-ster - 35% cotton 85g / m2) with 8 inlay protective layers.

Fabric: Water-repellent 65% Polyester - 35% cotton outer fabric ± 245g / m2 2.

EN 381-5 CLASS 1-20 m/s.

EN 13688.

Available colour: green.

Size: universal.

Packing: 1/5.



### ART.SP.1RB5 **BRUSH CUTTING TROUSER** HIGH VISIBILITY

Waterproof and breathable, ultra front reinforcement. Easy to clean and wash off the high density impact resistant dirt removable foam.

Central zip closure, 2 side pockets, loops for the belt, 1 back pocket with flap closed by hidden snap buttons, pocket meter.

Elastic waist with belt loops and buttons for suspenders.

Bib back with buttons for suspenders, triple stitching.

Inside: high density removable foam cushioning 6mm. 100% polyester fabric with 100% PU coating; 195 g/m2, mesh fabric (100% polyester 140 g/m2). Water repellent.

Main fabric: 80% polyester - 20% cotton 200

NORM: 20471 cl. 2, EN 13688.

Sizes: from S to 3XL.

Packing: 1/10.





#### ART.SP.1ST8 PADDED TROUSER **COVER FOR BRUSH TRIMMER**

Easy to use, it fits all grass trimmer leggings with protection against flying debris thanks to shock-resistant fixed foam.

Easy to clean thanks to the front reinforcement. Waterproof and breathable. Zip closure (top to bottom to close) on the back of

Closure with elastic belt and buc-

100% polyester fabric with 100% PU coating; 195 g/sqm.

Outer fabric: 65% water-repellent polyester - 35% cotton 245 g/m2.

NORM: EN 13688

Size: universal.

Packing: 1/10.





### ART.SP.1SXG **CHAINSAW GAITERS** EN381-9 CLASS 1

These gaiters provide chainsaw protection when securely fixed on top of safety boots.



EN 381-9 Class 1 (20 m/s). EN ISO 20345.

Sizes: M (39/42) XL (43/46).

Packing: 1/10.





### ART.SP.1SX1 CHAINSAW SLEEVES PAIR

360 ° chainsaw sleeves, 360 ° midsole around the arms, elastic around the elbow and around the wrists.

EXTERNAL: tension the elastic over the elbow.

INSIDE: 360 degree protective midsole around the forearm.

FABRIC: Water-repellent 65% Polyester - 35% cotton outer fabric ± 245

NORM: EN 13688.

Size: universal.

Packing: 1/20.



Cut resistant gloves with protection on both hands. Antifly rubber reinforcement on palm and fingers, elastic cuff with Velcro adjustment, breathable polyamide / mid insert on the upper part of the hand.

Materials: back in synthetic leather (60% polyamide - 40% polyurethane ± 310 g / m2); palm in PVC / PU coated polyester.

NORMS:

EN ISO 11393-4: 2019 / Class 1 - 20 m/s design A - type 1

EN 388:2016 - 3131X

Sizes: from 8 to 12. Packing: 1/20.



