



Safety footwear



Safety footwear

ART.AL.JALRUN - LOW SHOE WITH NEW TECHNOLOGY J-ENERGY EN20345 - S1P-SRC-ESD



Upper in suede leather, reinforcement on the TPU ankle. High breathability, thermo-regulating, antibacterial lining. Aluminum toecap, anatomic soft insole with the end part to the cushioned heel. Non-magnetic anti-perforation midsole. Sole J-Energy PU foam with elastic memory inserts. ISO8307.
Sizes: 38 - 48. Packing: 1/10.

ART.GS.2012 LOW SUEDE SHOE "DIADO" EN20345 S1P SRC HRO



Upper in dark blue and yellow suede leather, with soft instep padding. Breathable 3D lining. Rubber sole resistant to heat up to 300°. **Toe cap and composite midsole.**
Sizes: from 37 to 46. Packing: 1/10.

ART.GS.2011 - COMPOSITE LOW SHOE "MICRO" COW LEATHER AND MICROFIBER EN 20345/11 - S1P SRC



Low shoe in blue smooth leather with mesh inserts. 3D breathable interior. Internal technical insole. PU foam sole with elastic memory inserts. Toe cap and composite midsole.
Sizes: from 36 to 47. Packing: 1/10.

ART.BR.91328-03L LOW SHOE "CUBAN" EN20345 S1P SRC ESD CL. 3



Microfiber upper. Lining: 3D air circulation. Anti-bacterial soft-fit insole. Aluminum toe cap. Textile midsole. Hydrotech suede nubuck leather, lining: 3D Air circulation 320 gr., insole: FIVE 4 FIT. New Stabil Active technology for better heel support and tarsal joints and DYNAMIC HC CONTROL. Sole: PU / PU ESD-plus SRC passed.
Sizes: from 35 to 48. Packing: 1/10.

ART.BR.91195-41L LOW SHOE "DANCE" GREY S1P SRC ESD



Upper in thrown suede leather, with holes. High quality. Lining: 3D Air circulation. Insole: FIVE 4 FIT. New Stabil Active technology for better heel support and tarsal joints and DYNAMIC HC CONTROL. Aluminum toe cap and composite midsole. Sole: PU / PU ESD-plus SRC passed.
Sizes: from 35 to 48. Packing: 1/10.

ART.FTG.MUGELLO LOW SHOE "DUCATI" S1P - SRC - ESD



Smooth leather upper and Safety-Tex fabric. breathable lining, abrasion-resistant, dual density PU outsole, excellent resistance to oils, slip. Interchangeable insole preformed. Toecap and composite midsole.
Sizes: 38 - 47. Packing: 1/10.

ART.FTG.CARVING LOW SHOE "SPORT" EN20345 - S1P - SRC - ESD - TOE CAP: 200 J



Upper in blue perforated suede, inside 3D breathable lining. The covered toe offers excellent abrasion resistance. Anatomical and antistatic HRP insole.
Sole: polyurethane bidensity.
Toe cap: Non-Metallic thin cap.
Midsole: Non-Metallic HRP INSOLE.
Sizes: 35 - 47.
Packing: 1/10.

ART.FTG.SURF LOW SHOE "SPORT" EN20345 - S1P - SRC ESD Toe Cap: 200 J



Upper in Mesh external reinforcement in toe and heel, breathable lining inside 3D. The coated toe cap offers excellent abrasion resistance. Insole anatomic antistatic and antibacteric. Closure system with velcro bands. Monodensity polyurethane sole.
Toe cap and midsole Non-Metallic.
Sizes: 35 - 47.
Packing: 1/10.

ART.GS.2021 - SHOE WITH PERFORATED SUEDE ELASTIC SOLE EN 20345 S1P SRC ESD



Soft quality leather perforated, breathable reflective band back. Heel with reinforcement. Outsole in stretch polyurethane, self-cleaning and lightweight with excellent properties, anti-friction and shock absorbing and excellent anti-slip properties.
Lining: three-dimensional fabric. Completely metal free. Removable insole.
Sizes: 36 - 48.
Packing: 1/10.

ART.FTG.BLUES LOW - LOW SHOE "MUSIC" EN20345 - S1P - SRC - TOE CAP: 200 J



Uppers reinforced cotton, interior breathable cotton cover (washable at 40 °). The coated tip offers a good abrasion resistance. Insole ERGO-FIT, anatomic and antistatic. Dual density polyurethane sole, plentyfull fit.
Toecap steel, non-magnetic foil HRP INSOLLE.
Sizes: 35 - 47. (In leather, upon request: 48/49/50).
Packing: 1/10. (Also available in high version: Art. Blues High)

ART.GS.2013 - LOW SHOE SPLIT LEATHER EN 20345/2011 - S1P SRC



Low shoe split leather grey with holes. Ergofix insole.
Black polyurethane sole.
Steel toe cap and midsole.

Sizes: from 36 to 46.

Packing: 1/10.

ART.AL.IRIDIUM - LOW PERFORATED SHOE MEMORY FOAM METAL FREE EN 20345 - S1P SRC



Upper in perforated suede and nylon ultra breathable, Sweat-proof lining OverDry lightweight and breathable. Aluminium toe cap.
Insole: Memory.
Outsole: Flex-System Zero "no metal".
Sole: VIGOREX PU/PU with insert in Infinergy®
Sizes: from 35 to 48.
Packing: 1/10.

Safety footwear

ART.BR.91496-00 - **LOW SHOE "BREK"**
EN 20345 - S1P SRC ESD

NEW



metal
FREE



MADE IN ITALY

Upper: Drummed suede leather with insert in Mesh H.T. Run-proof, reflex insert. Lining 3D Green Air. Insole Five 4 Fit. Sole: PU / PU ESD-PLUS SRC bi-density. Outer - and - in between sole with ESD compound. Transverse Stability: DYNAMIC HC CONTROL, Stability Torsion: STABILACTIVE. Heel with microfiber insert in double layer anti-slip, makes the shoe more comfortable locking the foot during use avoiding back pain. Textile midsole, aluminum toe cap.

Sizes: from 38 to 48. Packing: 1/10.

ART.BR.43460-09 - **SHOE "FORZA BOA" S1PSRC ESD**
PERFORATED MICROFIBER METAL FREE

NEW

metal
FREE



MADE IN ITALY

Upper in microfiber suede with scratch bumper. Breathable lining. Anatomical breathable insole with recycled open cell foam. Absorbs shocks and reduce fatigue. Sole: PU / PU ESD-PLUS SRC. Composite toe cap, reinforced with glass fibre. Textile midsole. Transverse Stability: DYNAMIC HC CONTROL. Stability Torsion: STABILACTIVE. Heel with microfiber insert in double layer anti-slip, makes the shoe more comfortable locking the foot during use avoiding back pain.

Easy closure with BOA®. Sizes: from 36 to 48. Packing: 1/10.

ART.GS.PIACENZA
LOW PERFORATED SHOE EN 20345 S1P SRC ESD

NEW



metal
FREE



Upper in perforated suede leather, padded collar and tongue, HIGH-DRY® lining with strong absorption power and quick drying, hydrophilic and highly resistant to wear. Metal-free midsole and toe cap. Polyurethane (PU) sole with energy absorption in the heel. Ideal for any terrain and weather condition. Direct injection.

Antistatic, under 1000 MΩ both wet and dry. Sizes: from 38 to 47. Packing: 1/10.

ART.GS.2024
LOW COMPOSITE SHOE S1P SRC ESD

NEW



metal
FREE



Upper in suede leather with Cordura inserts. Breathable lining with ankle bone protection. Breathable anatomical insole. Absorbs shock and reduces fatigue.

Sole: PU / dual density PU. Composite toe cap, textile midsole. Heel with insert to make walking more comfortable and avoid back pain. Sizes: from 37 to 47. Packing: 1/10.

ART.BR.91253-00 - **LOW SHOE "PASITOS" S3 SRC ESD "class 3"**



CLASSE 3



MADE IN ITALY

Upper in drummed suede leather and high quality water-repellent nabuk. Lining in 3D air. Insole: FIVE 4 FIT. New technology Stabil Active for better heel support and tarsal joints and DYNAMIC HC CONTROL. Lightweight aluminum toe cap and Textile midsole. Sole: PU / PU ESD-plus SRC passed. Orthopedic, conform to norm BRG 191.

Sizes: 37 - 46. Packing: 1/10.

ART.FTG.LE MANS
LOW SHOE "DUCATI" S3 SRC - ESD

metal
FREE



MADE IN ITALY

Upper leather grain oiled black. TOP LEATHER, lining 100% polyester manufacturing honeycombed. Insole: sports-lite. polyurethane sole bidensità. Composite toe cap and midsole.

Sizes: 38 - 47. Packing: 1/10.

NEW

**ART.GS.CAORSO
LOW SHOE IN SUEDE LEATHER
EN20345 - S3 - HI - CI - SRC - ESD**



metal
FREE



Upper with waterproof and breathable fabric with suede reinforcements on toe and heel. It is a very comfortable shoe with an extraordinary adaptation to the foot. 15 mm collar padding. Tongue padding for better comfort. Inside lining HIGH-DRY® with strong absorbent power and fast drying, hydrophilic and highly wear resistant. Hydrocarbon resistant eva rubber and nitrile. maximum shock absorption. Special outsole in non-slip SRC. Cold insulation CI. HI thermal insulation. Toe cap and midsole metal free.
Sizes: from 36 to 48. Packing: 1/10.

**ART.GS.2014 - COMPOSITE LOW SHOE NUBUK LEATHER
EN 20345/11 - S3 SRC HRO ESD**



metal
FREE



Low shoe upper in nubuk dark grey color waterproof. Seams light grey. Inner: 3D breathable. Insole removable shock absorber with inserts. Sole nitrilic rubber resi-stant up to 300° colour black with white insert. Non-metallic toe cap and midsole. Resistant to chemical agents and optimal in the oil and gas sector.
Sizes: from 38 / 47. Packing: 1/10.

**ART.FTG.LYON - LOW SHOES COMPOSITE
ECO-LEATHER - EN 20345 - S3 SRC**




MADE IN ITALY

Low shoe in eco-leather inserts high tex, washable at 40 °. Padded ankle lining EASY AIR. Insole, antistatic, breathable polyurethane sole with bearing SOFT WALK inside, toe cap and midsole NON METALLIC.

Sizes: from 38 / 48. Packing: 1/10.

**ART.FTG.BASKET LOW - SHOE LOW COMPOSITE NUBUK
EN 20345 - S3 SRC ESD**



CLASSE 3

metal
FREE


MADE IN ITALY

Nubuk upper, with malleolus padding, 100% breathable polyester lining. Non-metallic HRP insole, anatomic, antistatic and antibacterial SPORT-LITE insole. Dual density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. Midsole particularly studied in its density to favor softness to the full advantage of comfort.
(Available high version: Art. BASKET HIGHT). Sizes: from 38 / 48. Packing: 1/10.

NEW

**ART.GS.2020
LOW SHOE EN20345 S3 SRC ESD**




MADE IN ITALY



Seamless whole upper made entirely of full grain National leather, water repellent and high breathability. Crown in resistant tear-resistant microfiber. Reflective band back. Lining breathable fabric, collar in soft padded fabric. Polycarbonate eyelets extremely resistant to pressure. Anatomical insole, antibacterial, etc. with antitallonite support. Super soft polyuritan sole. Metal free midsole and toe cap.
Sizes: 40 - 47. Packing: 1/10.

**ART.BR. 94387-04L - LOW SHOE "RANDA"
EN20345 - S3 - SRC**



metal
FREE

CLASSE 3




MADE IN ITALY

Upper: Drummed Suede Millefori, Lining: Breezy 3D, two-layers combination. Removable insole: Soft-fit Plus ESD, Sole: PU / PU ESD-plus SRC passe. Toe cap: Alu SXT 2.0, Antiperforation: K+ Anti-perforation PLUS metal free. Aluminum toe cap and composite midsole.
Sizes: from 38 to 48. Packing: 1/10.

ART.BR.95401-01L - LOW SHOES WOMAN "BOMA" EN 20345 - S3 SRC ESD



Drummed suede upper. Treatment: ESD. Breezy 3D lining, two layers combined for better breathability. Soft-fit Plus ESD insole. Dual-Density SRC PU sole. Toe cap Alu SXT 2.0. Anti-Drilling K + Anti-perforation PLUS midsole. Sole Double density polyurethane with TPU inserts: PU 2D Comfort.
Sizes: from 35 to 42. Packing: 1/10.

ART.BR.94379-03L - LOW SHOE "NEWPORT BOA" EN20345 - S3 SRC ESD CL.3



WRU microfiber upper with high tenacity. 3D air lining. Insole in anatomic and breathable foam. Toe cap Alu and midsole: non-metallic. New Stabil Active technology for better support of the heel and tarsal joints. "BOA®" automatic closing. PU / PU ESD-plus SRC sole. Excellent resistance to oils, anti-slip.
Sizes: 38 - 48. Packing: 1/10.

ART.BR.43452-03L - LOW SHOE "FORZA" EN 20345 - S3 SRC ESD



Upper in microfiber suede with scratch bumper. Breathable lining. Anatomical breathable insole with recycled open cell foam. Absorbs shocks and reduces fatigue. Sole: PU / PU ESD-PLUS SRC. Composite Toe cap, reinforced with glass fibre. Textile midsole. Transverse Stability: DYNAMIC HC CONTROL. Stability Torsion: STABILACTIVE. Heel with microfiber insert in double layer anti-slip, makes the shoe more comfortable locking the foot during use avoiding back pain.
Sizes: from 38 to 48. Packing: 1/10.

ART.GS.2022 - LOW SHOE METAL FREE EN 20345 - S3 - SRC - ESD - HRO



Upper in smooth grain leather. Breathable lining with malleolus padding. Insole anatomical and breathable. Absorbs shocks and reduces fatigue. Sole: PU / PU bidensity. Composite toe cap, Textile midsole. Heel with insert to make walking more comfortable avoiding back pain.
Sizes: from 37 to 47. Packing: 1/10.

ART.FTG.CONCORDE LOW SHOE CLOSER WITH BOA EN 20345 S3 - SRC - ESD



Upper: nubuk with malleolus padding, 100% polyester lining. Non-metallic HRP insole, ATOMIC insole. Dual density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. BOA® opening / closing mechanism. Midsole particularly studied in its density to favor softness to the full advantage of comfort. Metal free.
Sizes: from 38 to 46. Packing: 1/10.

ART.AL.TEUTON LOW SHOE "TEUTON" S3 - SRC - ESD - CI



Upper: water repellent nubuck, Lining OverDry lightweight and breathable. Toe cap Alu-Lite in Aluminium 200J, Textile midsole. Footbed Memory, Sole VIGOREX PU/PU with insert in Infinergy®.
Sizes: from 35 to 48. Packing: 1/10.

ART.FTG.ERCOLE LOW SHOE METAL FREE S3 SRC HRO

MADE IN ITALY



Low shoe in black leather with padding malleolus, lining EASY AIR with honeycomb finished polyester. Insole ERGO TECH, antistatic and breathable, nitrilic sole, toe cap and instep. Metal free toe cap and midsole. Indispensable for those working in chemical and oil and gas environments.

Sizes: from 38 / 48. Packing: 1/10

(Also available in high version mod. Poseidon).

SPECIFICA PER attività di abbattimento alberi



ART.BA.62455451 BOOT RANGER EN20345/17249 S3 CI HI WR HRO SRC CLASS II

High upper in water-repellent greased leather, lined with fabric resistant to chain-saw cuts. Breathable and water-repellent membrane. Flexion area in the soft rear part. Flexium insole. Sole: nitrile rubber. Protection against the risk of class II chain saw cuts (EN 17249 chain speed 24m / s).

Sizes: from 39 to 47.

Packing: 1/10.



ART.BR.43459-01 HIGH SHOE "SCATTO HIGHT BOA" EN20345 - S3 SRC ESD CI CL.3

NEW



MADE IN ITALY



CLASSE 3

Upper in microfiber suede with scratch bumper. Breathable lining. Anatomical breathable insole with recycled opencell foam. Absorbs shocks and reduces fatigue. Sole: PU / PU ESD-PLUS SRC. Composite Toe cap, reinforced with glass fibre. Textile midsole. Transverse Stability: DYNAMIC HC CONTROL. Stability Torsion: STABILACTIVE. Heel with microfiber insert in double layer anti-slip, makes the shoe more comfortable locking the foot during use avoiding back pain. Easy closure with BOA®.

Sizes: from 38 to 48. Packing: 1/10.



ART.AL.JALROCHESAS HIGH SHOE WATER RESISTANT EN 20345 S3 CI HI WR HRO SRC

Suitable for all terrains, for every situation and frequent changes of environment. Waterproof grain leather upper, pull-up finish, abrasion resistant leather toe cap. Double GORE-TEX® lining, highly breathable and waterpro-of. Ensures perfect insulation and allows moisture to escape outside. Reinforced heel, for better heel support, with shock absorber. Metal free toe and midsole. Compact VIBRAM® heat-resistant sole for contact at 300 °, with shock-absorbing effect, to protect the back and joints.

Sizes: from 38 - 47.

Packing: 1/10.



ART.GS.2020H HIGH SHOE EN20345 S3 SRC ESD

NEW



MADE IN ITALY



Seamless whole upper made entirely of full grain National leather, water repellent and high breathability. Collar in resistant tear-resistant microfiber. Rear reflective band. Inner lining in breathable fabric, collar in soft padded fabric for excellent protection to the malleolus. Extremely pressure-resistant polycarbonate eyelets. Anatomical, antibacterial insole with antitallonite support. Super soft polyurethane sole. Metal free toe cap and midsole.

Sizes: 40 - 47.

Packing: 1/10.

ART.BR.91373-00 HIGH SHOE "CUBAN" EN 20345 - S3 SRC ESD CL.3



CLASSE 3

MADE IN ITALY



High microfiber shoe. Lining: 3D air circulation. Anti-bacterial soft-fit insole. Aluminum toe cap. Textile midsole. Hydrotech suede nubuck leather, lining: 3D Air circulation 320 gr., Insole: Soft-Fit. New Stabil Active technology to improve heel support and tarsal joints. Sole: PU / PU ESD-plus SRC passed. ESD class 3, electrical in-sulation between 0.1 and 100 mΩ. Sizes: from 40 to 46. Packing: 1/10.

Safety footwear

ART.BR.8014300 HIGH SHOE WELDING WITH SOFT TARSUS COVER EN 20345 S3 HRO SRC



MADE IN ITALY

Upper: Soft Full Grain Leather, lining: 3D Air circulation 320 gr.,
Removable insole: Flyfit. Sole: PU-Rubber VIBRAM®-HRO-SRC.
Toe cap: C.T.C. - Composite Toe Cap.
Antiperforation: ZERO (k) ANTIPERFORATION metal free.
Sizes: from 40 to 46. Packing: 1/10.

ART.FTG.TORCH- HIGH SHOE WELDING EN 20345 - S3 ESD SRC



NEW



MADE IN ITALY

High shoe in black full grain leather with padded storm-cuff, High Tex inserts, 100% polyester lining, Non-Metallic HRP Insole, RELAX Insole antistatic, breathable. Double density polyurethane sole, bending resistant, abrasion resistant, oil resistant, slip resistant, ESD. Opening/closing mechanism with belt. Midsole particularly studied in its density to promote softness to the advantage of comfort. Metal free Toe cap and midsole. Sizes: from 38 to 48. Packing: 1/10.

ART.FTG.ADAM QUICK RELEASE SHOE S3 SRC ESD



NEW



MADE IN ITALY

High shoe with quick release, steel toe, textile midsole.
Black leather upper with padded ankle support. Breathable lining, ergo tech insole.
Fields of use: construction/carpentry, public works, naval industry, mining industry, cooperatives.
Sizes: from 40 / 48.
Packing: 1/10

ART.GS.2014H - HIGH SHOE COMPOSITE LEATHER NUBUK - EN 20345/2011 - S3 SRC HRO



metal FREE



High shoe, upper in dark-gray water-repellent nubuk leather.
Light gray stitching. 3D breathable interior.
Removable shock absorber insole.
Nitrile rubber sole withstands 300 ° black with white insert.
Toe cap, midsole metal free.
Sizes: from 38 to 47. Packing: 1/10.

ART. GS.2023H HIGH COMPOSITE SHOE S3 SRC ESD



NEW



metal FREE



Upper in microfiber and nubuck. Breathable lining with malleolus padding. Insole anatomical and breathable. Absorbs shocks and reduces fatigue. Sole: PU / PU injected. Composite toe cap, Textile midsole. Transverse stability and anti-torsion. Heel with double layer insert, makes the shoe more comfortable by locking the foot during use avoiding back pain.
Sizes: from 38 to 47. Packing: 1/10.



MADE IN ITALY

ART.FTG.LEGEND HIGH SHOE EN20345 S3 SRC



High shoe, upper black smooth grain leather with padded storm-cuff HIGH-TEX inserts. Lining 100% honeycomb finished polyester. Insole: LIGHT & SOFT, antistatic and breathable. Sole: translucent double density polyurethane. Toe cap and midsole: metal free HRP INSOLE.

(Also available in the low version: FTG.Piper).

Sizes: from 35 to 47.

Packing: 1/10.

metal FREE



**ART.GS.2022H - HIGH SHOE METAL FREE
EN 20345 - S3 - SRC - ESD - HRO**

NEW



**metal
FREE**

High shoe with smooth grain leather upper. Breathable lining with malleolus padding. Insole anatomical and breathable. Absorbs shocks and reduces fatigue. Sole: PU / PU bidensity. Composite toe cap, Textile midsole. Heel with insert to make walking more comfortable avoiding back pain.
Sizes: from 37 to 47. Packing: 1/10.



CLASSE 3

**metal
FREE**

MADE IN ITALY

**ART.
BR.9128900
HIGH
SHOE
PASITOS
HIGHT"
EN20345
S3 SRC**

Upper in Hydrotech suede nubuck leather, Lining: Breezy 3D, two-layered combined for improved breathability. Insole: FIVE 4 FIT. New technology Stabil Active for improved heel and tarsal joint support and DYNAMIC HC CONTROL. Sole: PU / PU ESD-plus SRC passed. Textile midsole, aluminium toe cap.
**Sizes: from 39 to 46.
Packing: 1/10.**

**ART.BR. 9440302L HIGH SHOE "GRINDER"
EN20345/2011 - S3 - SRC - ESD**



**metal
FREE**



Upper: Drummed Suede Millefori. Lining: Breezy 3D, two-layers combination. Removable insole: Soft-fit Plus ESD, Sole: PU / PU ESD-plus SRC passed. Toecap: Alu SXT 2.0, Antiperforation: K+ Antiperforation PLUS metal free.

Sizes: from 38 to 48.

Packing: 1/10.

MADE IN ITALY

**ART.FTG.PARIS - HIGH SHOE COMPOSITE
CROME FREE - EN20345 - S3 SRC WRU**

MADE IN ITALY

40



**metal
FREE**



Upper eco leather with HIGH-TEX inserts, colour black. Lining: 100% honeycomb finished polyester. Insole antistatic and breathable. Sole, polyurethane. Toe cap and midsole metal free. Chrome Free. Excellent resistance to oils, non-slip.
Sizes: 38 - 48. Packing: 1/10.



MADE IN ITALY

**metal
FREE**



CLASSE 3

**ART.FTG.
BASKET
HIGH**

**HIGH SHOE
COMPOSITE
NUBUK
EN 20345
S3 SRC ESD**

Upper in safety-nubuk, with malleolus padding, 100% polyester lining, HRP non-metallic insole, anatomic, antistatic and antibacterial SPORT-LITE insole, dual-density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. Midsole particularly studied in its density to favor softness to the full advantage of comfort. **(Also available in the low version: Art. BASKET LOW).**
Sizes: from 40 to 48. Packing: 1/10.

**ART. FTG.NICE
SANDAL EN20345 - S1P - SRC - ESD**

MADE IN ITALY



**metal
FREE**



Sandal upper eco leather with high-TEX insert. Padding at malleolus, lining EASY AIR. Insole antistatic and breathable, sole with SOFT WALK pad inside. Toe cap and midsole metal free.
**Sizes: from 38 to 48.
Packing: 1/10.**



MADE IN ITALY



metal FREE

**ART.FTG.EOLO
HIGH SHOE
LEATHER
EN20345
S3 HRO CI WR SRC**

High shoe in Eco Leather, black color, WATER-STOP MEMBRANE lining, non-metallic insole lining.
HRP IN-SOLE, THERMO-PLUS insole with high thermal isolation, bi-component sole (rubber-polyurethane).
Abrasion resistant, oil resistant, antistatic and heat resistant, with the "little pad" SOFT WALK inside.
Plus toe protection PRO CAP.
Toe cap and midsole: metal free
Size: from 38 to 48.
Packing: 1/10.



**ART.FTG.KHIONE
BOOT ANKLE
WATERPROOF
EN20345
S3 HRO CI WR SRC**

UPPER: in smooth black grain leather with inexact HIGHT-TEX, side closing zip WATERPROOF.
Lining with Water-Stop membrane, high thermal insulation.
Non-magnetic toe cap and metal free midsole.
Rubber / polyurethane sole.

Sizes: from 40 to 48.

Packing: 1/10.

metal FREE

MADE IN ITALY



**ART.
AL.JALASKA
BOOT GRAIN
LEATHER
EN20345/2011
S3-SRC**

Boot, in natural leather. Hydro-oleo repellent. Resistant to penetration of water and oils.
nato-mic, antistatic insole with shock-absorber tallanto.
Toe cap and midsole steel.
Dual density polyurethane sole.

Sizes: from 36 to 48.

Packing: 1/10.



**ART.
AE.KL121FG
BOOT NUBUCK
LEATHER
EN20345
S3 HRO CI HI SRC**

Boot, water-repellent uppers oiled nubuck. Breathable, moisture-resistant 3D interior. Molded polymer toe cap. Thermal insulation. Kevlar antiperforation midsole. Dual-density PU / RUBBER sole.
Resistant to oils and hydrocarbons to heat. Ideal: in the Oil and Gas, engineering sectors etc.

Sizes: from 37 to 47.

Packing: 1/10.



metal FREE



MADE IN ITALY

**ART.BR.81156-00
BOOT "MONTANA"
FULL GRAIN
LEATHER
EN20345 - S3 SRC**

Upper full Grain-Anilina Leather-Hyrotech. Removable insole: Dual insulation.
Sole: PU Dual-Density SRC passed.
Toe cap: composite antiperforation: ZERO (k). Oil and hydrocarbon resistant.
Warm heat resistance up to 120 ° C.

Sizes: from 37 to 48.

Packing: 1/10.



**ART.GS.9014
LEATHER
BOOT WITH
BREATHABLE
LINING
EN20345 - S3 SRC**

Full-grain leather upper, ankle reinforcement. Highly breathable 3D lining, thin, antibacterial. Metal toe cap and midsole.
Soft anatomical insole with cushioned heel area.
Polyurethane sole resistant to cold, heat, hydrocarbons, etc...

Sizes: from 38 to 47.

Packing: 1/5.

NEW



**ART. NO. IVORY
WHITE BOOT S4
SRC WITH 16%
NITRILE**

Upper and sole in 16% polynitrile with special inserts that make it soft even in cold rooms. Resistant to chemical agents, bases, sodium chloride, acids, fertilizers and manures, deteriorating meat residues, anti-corrosion of metals and oily surfaces, very pronounced tread. Grating resistant. Hollow heel to favor shocks, anatomical design for greater comfort of the leg and foot. Metallic tip.

Sizes: from 38 to 47.
Packaging: 1/6.
(available in yellow S5 SRC - Art.NO.GOREX).
Sizes: from 36 to 47.
Packaging: 1/6.



MADE IN ITALY

**ART.
CO.TYPHOON
BOOT FOR
CONSTRUCTION
WORK
HIGH QUALITY
EN20345 - S5**

Boot with erg / nitrile Pvc compound, extremely stable tread even on the most untouched terrain. Removable and absorbent inner padding lined with fabric. Steel toe cap and midsole. High visibility reflex insert. Knurled spur to facilitate the extraction of the foot. Particularly suitable for construction work and agriculture.

Sizes: from 36 to 48.
Packing: 1/5.



**metal
FREE**

MADE IN ITALY

**ART.CO.SAFEST GR
ULTRALIGHT
BOOT
EN20345 - S5 CI SRC**

Boots with anatomical and perfumed plantar. Knurled spur to facilitate the extraction of the foot. Sole and leg: Polyurethane coated with anti-slip membrane. Midsole: not metallic. Toecap: non-metallic TOP RETURN, 100% METAL FREE. Particularly suitable for refineries, road works. (Hydrocarbon-resistant sole, inorganic acids, organic acids, alcohols, alkaline salts, heterogeneous mixtures, ketone aldehydes, organic esters) (AVAILABLE ALSO IN THE VERSION WITH THERMAL INSULATION)

Sizes: from 38 to 48.
Packing: 1/6.



**metal
FREE**

MADE IN ITALY

**ART.CO.THERMIC
BLACK
COLD INSULATION
BOOT
EN20345 - S5 CI HRO SRC**

Resistant to -25 ° C boots, anatomical and perfumed footbed. The thermal comfort inside the footwear is afforded thanks to the special PU compound designed to give high insulation. Sole: Nitrile rubber. Midsole: not metallic. Toe cap: non-metallic TOP RETURN, 100% METAL FREE. Particularly suitable for refineries, road works.

Sizes: from 39 to 48.
Packing: 1/6.



**ART.NO.MEGAJAN
BOOT FOR CHEMICAL SUBSTANCES
EN20345 - S5-SRC**



MADE IN ITALY

NEW

**ART.GS.CHIMICO
BOOT FOR
CHEMICAL
SUBSTANCES**

Neoprene boot with chemical resistance. (heptane, isopropanol, sodium hypochlorite).

Norms:
EN 20345/ S5 HRO CR SRC.
EN 13832-3 J Q R

Sizes: from 36 to 50

Packing: 1/5

On request model for acetone, sulfuric acid, nitric acid, acetic acid Art. GS.CHIMICO2.



Special upper composed of co-polymers and plastic injection agents. Resistant to animal fat, vegetable oils, hydrocarbons and chemicals. Rear spur to facilitate the extraction from the foot without risk of tearing. Internal rammers to hold the fabric of trousers and suits. Midsole: In heat-insulating foam material. Sole: "Time Stopper", symmetrical tread design, gives traction on dry and wet surfaces. Slabs for water and mud spill. Antitorion insert for maximum foot stability.

Toe cap and midsole: steel.
Sizes: from 40 to 46. Packing: 1/6.



**ART.GS.17WF
SAFETY BOOT
FULL LEG
EN20345 - S5 - SRC**

Boots all over waterproof. Black Colour. Support leg to hook to the belt. Thermal seals to ensure waterproofness. Adjustable elastic straps. Sole: PVC / nitrile rubber. Midsole: steel. Toe cap: steel.

Particularly suitable for refineries, road works.

Sizes: from 37 to 47.

Packing: 1/6.



**ART.SI.FALMORE CHEST
WADER WITH SAFETY
BOOTS IN PVC**

EN 20345 S5 AN SRC EN 343+A1/Cl.3-1

Protect your lower extremities and chest with a waterproof and windproof boots. The Falmore features safety rubber boots with steel toe cap and extra shin protection, puncture-resistant midsole. For your convenience, it comes with buckle straps and an internal pocket. The knees have extra reinforcement so it can be used in a variety of environments. Fabric: Mesh 100% polyester with lining 100% PVC; ± 700 g/mq.

Norms:
EN20345/S5 AN SRC
EN 343 3.1.

Sizes: from 39 to 47.

Packing: 1/10.



EN343
3.1

**ART.CO.FINLAND
THERMAL
INSOLE SOCK
FOR BOOTS**

Internal coating in THERMO-DRY, hollow fiber with high thermal insulation power. The layer in contact with the foot absorbs and sweats the sweat, keeping the heat-insulating interior. The bandwidth of reflective material guarantees high visibility.

(To combine with the rubber boots).

Sizes: from 36 to 48.

Packing: 1/1.



**ART.FOR.SC198NEW
VISITOR COMPOSITE TOE CAP
EN 20345 - EN 12658**



metal
FREE



Metal-free visitor toe cap. Insole: TPU water-proof. It is resistant to hydrocarbons and abrasion. It is also slip-resistant on smooth, wet, and greasy floors. Upper with protective tongue on the foot collar for optimal fit. Toe cap, Made of fiberglass composite, very strong and lightweight. Equipped with an elastic strap for a tight fit that allows for easy and fast adjustment. It is reusable by different individuals, making it ideal for collective use. It is easily washable.

Sizes: S (35/39) M (40/44) L (45/48).

Packing: 1/5

**ART.AE.7201W - MOCCASIN SHOE WHITE
EN20345 - S2 - SRC - TOE CAP COMPOSITE**



metal
FREE



Microfiber white moccasin, 200J durable composite toe cap, water repellent upper, breathable inner lining, removable insole, polyurethane sole, oil and hydrocarbon resistant, with heel energy absorption.

Sizes: from 37 to 47.

Packing: 1/10.

(Also available in high version: Art. AE.C05W).

**ART.AE.C5201F
WHITE MOCCASIN WITH DUAL-DENSITY BLUE
PU SOLE' EN 20345 S2 SRC METAL FREE**



metal
FREE



White microfiber moccasin with a 200J resistant composite toe cap, water-repellent upper, breathable inner lining, removable insole, dual-density polyurethane and nitrile sole, resistant to oils and hydrocarbons, animal fat, and grills. With heel energy absorption.

Sizes: from 37 to 47.

Packing: 1/10.

ART.AE.20W LOW SHOE FOOD INDUSTRY WITH LACES - COMPOSITE TOE CAP EN20345 - S2 - SRC



Low water repellent white shoe. Composite toe cap, microfiber upper. Light polyurethane sole. Removable insole, shock absorber heel, breathable inner lining.

Sizes: from 35 to 47.

Packing: 300.

ART.GS.28WF - FOOTWEAR SABOT FOOD INDUSTRY EN20345 - S2 - SRC



Sandal with steel tip. Breathable, water repellent microfiber upper with strap elastic. Sole in anti-static and non-slip polyurethane foam injected directly into the upper. Dual density. Indicated in the following processes: meat, dairy, food, pharmaceutical.

Sizes: from 36 to 47.

Packing: 1/10.

(Cheaper model: Art.T.AND, upon request)

ART.FTG.SPORTLIT INSOLE SPORT LITE ESD



Preshaped, removable insole, ESD, washable and antibacterial.

High performance in terms of comfort and energy.

Sizes: from 34 to 48.

Packing: 1/6.



ART.GS.09CF GEL INSOLE

Gel insole, to be adapted to the size of the footwear.

The gel absorbs the bumps and keeps the foot more relaxed.

Sizes:

S (37/39)

M (40/44)

L (45/47)

Packing: 1/50.


ART.BR.PEAK

TABLET FOR INSOLES BGR 191



Tablet for insole. "MODULAR FEET".

It is used to analyze the sole of the foot, to match the most suitable insole, to the conformation of the foot.



ART.BR.10006 INSOLE "MODULAR FEET" BGR191



The semi-orthopedic insole, has been designed to deal with the feet with anatomy. It helps to bring comfort together with the correct posture while maintaining the safety features of the shoe.

Green color for flat feet, red for high support, blue for medium support.

Sizes: from 38 to 46.



Packing: 1/10.

ORTHOPEDIC SAFETY FOOTWEAR "UVEX MEDICARE" INDIVIDUALS, CUSTOMIZED ACCORDING TO THE REFERENCE LEGISLATION EN 20345

AUTHORIZED UVEX CENTER FOR PLANTAR RELIEF



DGUV 112-191



ART.UV.8514 - LOW SHOE WITH HOLES "TENDED"
EN20345 - S1P - SRC - COMPOSITE TOE CAP

ART.UV.6496.3 - LOW SHOE "MOTION"
EN20345 - S3 - SRC - COMPOSITE TOE CAP

metal
FREE

NEW



metal
FREE

NEW



Suitable for those who are allergic to chromium, all the materials of the soles are free of silicones, rapid elastic laces that can be individually adapted. Standard laces supplied. Dual density PU sole, medial and lateral support for the foot using side frames. Against twisting at the ankle, stabilization, driving and impact protection, non-metallic midsole, high-tech microvelour upper, without seams to avoid compressions, custom-made interchangeable insole. Textile midsole.

Also available in the S3 SRC version - Art. UV.8516

Sizes: from 35 to 52

Packing: 1/1.

Fit: 10/11/12.

Low medicare shoe, practically seamless, widely metal-free collar. Silicone-free, therapeutic, individually adjustable stabilizing splints. Suitable for made-to-measure insoles, also adapted for diabetics. Non-perforation non-metallic midsole, 100% metal free, uvex medicap tip - compact, anatomically shaped, safe posture even on scales. Perfect micro climate thanks to the breathable lining and upper microfibre material, padded collar, padded lining. Custom made pro-duct.

Also available in high version.

Sizes: from 35 to 50

Packing: 1/1.



- Dorsiflexion weakness
- Oversensitive skin
- Neuropathy
- Tendonitis
- Tendon contractures
- Muscle weakness
- Hallux rigidus
- Hallux valgus
- Hallux varus
- Gout

- Arthritis
- Heel spur
- Claw toes
- Corns
- Joint blockages
- Joint stiffness
- Joint changes
- Joint inflammation
- Foot deformities



MADE IN ITALY

ART.Z3.01CKASC SHORT SOCK "KAISER" cut resistant for medium seasons


45% cotton, 15% PP, 15% Amicor Plus, 15% polyamide, 5% elastame, 5% kevlar.

Thermoregulating, breathable sock, specific reinforcements at the friction points with kevlar (anti-cut), antimicrobial.

Colour: like picture.

Sizes:
S (38/40)
M (41/43)
L (44/46)
XL (47/50)

Packing: 3/120.



MADE IN ITALY



ART.Z3.01CTUCF LONG SOCK "TUCSON" cut resistant for medium seasons


Composition: 65% cotton, 29% polyamide, 3% EA Lycra, 3% Kevlar (cut resistant).

Socks for mid seasons, toe and heel in windshield yarn to prevent breaks at the most friction points with the footwear.

Colours: grey/black.

Sizes:
S (38/40),
M (41/43),
L (44/46).

Packing: 3/90.



EN1149



Respirante e termoregolante
Breathable and thermoregulating

ART.Z3.ELEK LONG SOCK "ELECTRO" WINTER

Winter sock, breathable and particularly warm, thermoregulatory, equipped with heel and toe cap (ideal for accident prevention shoes). Antiabrasion and anti-static, cut resistant.

Composition: 38% Cotton, 20% Wool, 20% PC Acrylic, 11% PA Polyamide, 8% Kevlar, 3% Carbon No-Shock.

Colour: black.

Sizes:
XS (35/37)
S (38/40)
M (41/43)
L (44/46)

Packing: 1/72.

Respirante e termoregolante
Breathable and thermoregulating



ART.Z3.01CMHRL LONG SOCK "MOHAIR" (thermoregulated wool)

35% Wool, 30% Acrylic, 20% Cotton, 15% Polyamide.

Thermoregulating, breathable thermal, specific reinforcements in the most friction points, elasticated bands and special anti-stress fabrics.

Colour: grey/black.

Sizes:
S (38/40),
M (41/43),
L (44/46).

Packing: 3/72.

MADE IN ITALY

MADE IN ITALY

ART.Z3.1228 LONG SOCK "CARVE SKY" (technical for winter season - thermoregulated)

55% PL Thermolite, 25% PP Polypropylene, 15% PA Polyamide, 5% EL Elastic.

Anatomical / ergonomic structure with differentiated compression zones have a toning anti-stress effect.

The use of thermolite and polypropylene fibers, however, gives the stocking a high breathable and thermoregulatory capacity.

Reinforcements placed at high friction points. Seams Extra finishing

Colour: like picture.

Sizes:
S (35/38),
M (39/41),
L (42/44),
XL (45/47).

Packing: 6/100.

Respirante e termoregolante
Breathable and thermoregulating



MADE IN ITALY



ART.Z3.01CACTL LONG SOCK "ACTION" (Scotland thread massaging) SUMMER

Summer cotton sock, self-massaging with differentiated compression tones and keeps your legs rested, reduces walking edema and ankles and promotes circulatory flushes, well known to those who stay for a long time standing.

Colour: blue.

Sizes:
S (39/40),
M (41/42),
L (43/44),
XL (45/46).

Packing: 5/100.

MADE IN ITALY



ART.Z3.01CACT
SHORT SOCK
"ACTION"
(Scotland thread
massaging)
SUMMER

Summer cotton sock, self-massaging with different ted compression tones and keeps your legs rested, reduces walking edema and ankles and promotes circulatory flushes, well known to those who stay for a long time standing.

Colour: blue.

Sizes:
S (39/40)
M (41/42)
L (43/44)
XL (45/46)

Packing: 5/100.

MADE IN ITALY



ART.Z3.01CLOST
CONF.3 PAIRS SOCK
"LOST" TRASPIRANT

Invisible cotton sock with light-density anatomic structure, anatomical reinforcements at the toe and heel, light and resistant with breathable front mesh, anti-torsion elastic band in the foot, soft anti-stress stabilizing cuff and extra-fine seam.

Composition: 70% PL Coolmax, 25% PA Polyamide, 5% EL Elastic.

Colour: black.

Sizes:
XS (35/37)
S (38/40)
M (41/43)
L (44/46)

Packing: 3/60.

traspirante e termoregolante
Breathable and thermoregulating

ART.Z3.1165
SUMMER SOCK "TOUT COURT" TOP TECH

MADE IN ITALY



60% PA Meryl Skinlife, 30% PA Polyamide, 10% EA Lycra.

The breathable sock, very fresh.

Colour: like picture.

Sizes:
S (36/39)
M (40/43)
L (44/47)

Packing: 3/120.

THERMO

MADE IN ITALY



ART.Z3.IPYTSOKK
T/SHIRT
LONG SLEEVE
THERMOREGOLATED
TRANSPIRANT
"KODIAK"

100% soft polyester fabric. Gr. 200. Thermoregulating and protects from cold, ideal for those who work in low temperature and outdoor environments in winter. Fleece on the inside and smooth mesh on the outside. Recommended for those who carry out intense and constant activities at rigid temperatures (-15 to +5 and +15) and for those who carry out activities of medium-low physical intensity in environments at medium-low temperatures (+0 to +15 °C).

Colour: black.
Sizes: from M to XXL.
Packing: 1/10.
Available undersuit:
Art. Z3.FAIR

MADE IN ITALY



ART.Z3.IPATGL
T/SHIRT LONG SLEEVE
THERMOREGOLATED
TRANSPIRANT
AND ANTISTATIC

Fabrics 96% PP hollow fiber gr.150, 4% carbon "DRYARN". This fabric is thermoreg. antifreeze for the winter season. It ensures a high degree of moisture removal while keeping the skin dry. Flat and soft stitches (no-stress).

Washable with machine at 30 °.

Colours: blue navy.

Sizes: from S to 4XL.
Packing: 1/31.

Available undersuit:
ART.Z3.IPASCZ

NEW

ART.GS.321B + GS.121B
THERMAL SET T-SHIRT + TROUSERS



Fabric: 50% polyester, 50% cotton; gr. 200. Material allows the skin to breathe in warm conditions.

Crewneck makes it ideal to wear as an undergarment. The soft fibers of polycotone and knitted fabric makes the fabric thermoregulating with breathability of the skin. The lapel hem and elasticated waist give a comfortable fit. Washable at 40 °C.

Colour: blue navy.

Sizes: from XS to 5XL.

Packing: 1/30.



Dryarn No-Shock XLA

TERRY 150 PSA